



# Material Safety Data Sheet

## CAT ULTRA 5 MOLY ISO 460

### 1. Product and company identification

<b>Material uses</b>	: Industrial applications: Lubricants; grease.
<b>Manufacturer</b>	: Chemtool Incorporated 801 West Rockton Road Rockton, IL 61072 U.S.A. Tel: +01 815.957.4140 Fax: +01 815.624.0292
<b>Product code</b>	: CSM2805200
<b>MSDS #</b>	: 1231
<b>Validation date</b>	: 10/9/2012.
<b>In case of emergency</b>	: INFOTRAC U.S. and Canada - 800.535.5053 Outside the U.S. and Canada - +01 352.323.3500

### 2. Hazards identification

#### Emergency overview

<b>Physical state</b>	: Solid. [grease]
<b>Color</b>	: Gray.
<b>Odor</b>	: Mild. Petroleum oil
<b>Signal word</b>	: WARNING!
<b>Hazard statements</b>	: CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
<b>Precautionary measures</b>	: Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
<b>OSHA/HCS status</b>	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Routes of entry</b>	: Dermal contact. Eye contact. Ingestion.
<b>Potential acute health effects</b>	
<b>Inhalation</b>	: No known significant effects or critical hazards.
<b>Ingestion</b>	: No known significant effects or critical hazards.
<b>Skin</b>	: May cause skin irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

## 2. Hazards identification

**Eyes** : May cause eye irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

### Potential chronic health effects

**Chronic effects** : Contains material that may cause target organ damage, based on animal data.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.  
**Developmental effects** : No known significant effects or critical hazards.  
**Fertility effects** : No known significant effects or critical hazards.  
**Target organs** : Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.

### Over-exposure signs/symptoms

**Inhalation** : No specific data.  
**Ingestion** : No specific data.  
**Skin** : Adverse symptoms may include the following:  
 irritation  
 redness  
**Eyes** : Adverse symptoms may include the following:  
 pain or irritation  
 watering  
 redness

**Medical conditions aggravated by over-exposure** : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

## 3. Composition/information on ingredients

### United States

Name	CAS number	%
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	20-40
Mineral oil.	mixture	10-20
calcium carbonate	471-34-1	10-20
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	7-13
molybdenum disulphide	1317-33-5	3-7
Residual oils (petroleum,) solvent-refined	64742-01-4	1-5

### Canada

Name	CAS number	%
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	20-40
Mineral oil.	mixture	10-20
calcium carbonate	471-34-1	10-20
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	7-13
molybdenum disulphide	1317-33-5	3-7
Residual oils (petroleum,) solvent-refined	64742-01-4	1-5

### Mexico

### 3. Composition/information on ingredients

#### Classification

Name	CAS number	UN number	%	IDLH	H	F	R	Special
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	Not available.	20-40	2500 mg/m <sup>3</sup>	1	1	0	-
Mineral oil.	mixture	Not available.	10-20	2500 mg/m <sup>3</sup>	1	1	0	-
calcium carbonate	471-34-1	Not available.	10-20	-	2	0	0	-
molybdenum disulphide	1317-33-5	Not available.	3-7	5000 mg/m <sup>3</sup>	1	0	0	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Not available.	7-13	2500 mg/m <sup>3</sup>	1	1	0	-
Residual oils (petroleum,) solvent-refined	64742-01-4	Not available.	1-5	2500 mg/m <sup>3</sup>	1	1	0	-

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### 5. Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## 5. Fire-fighting measures

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
sulfur oxides  
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

### United States

## 8. Exposure controls/personal protection

Ingredient	Exposure limits
Distillates (petroleum), solvent-refined heavy paraffinic	<p><b>ACGIH TLV (United States, 1/2011).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>
Mineral oil.	<p><b>ACGIH TLV (United States, 2/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.</p> <p><b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>
calcium carbonate	<p><b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust</p>
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<p><b>ACGIH TLV (United States, 1/2011).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>
molybdenum disulphide	<p><b>ACGIH TLV (United States, 1/2011).</b> TWA: 10 mg/m<sup>3</sup>, (as Mo) 8 hours. Form: Inhalable fraction TWA: 3 mg/m<sup>3</sup>, (as Mo) 8 hours. Form: Respirable fraction</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 10 mg/m<sup>3</sup>, (as Mo) 8 hours. Form: Total dust</p> <p><b>OSHA PEL (United States, 6/2010).</b> TWA: 15 mg/m<sup>3</sup>, (as Mo) 8 hours. Form: Total dust</p>
Residual oils (petroleum,) solvent-refined	<p><b>ACGIH TLV (United States, 1/2011).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p> <p><b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p>

### Canada

<u>Occupational exposure limits</u>		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	Notations

## 8. Exposure controls/personal protection

molybdenum disulphide, as Mo	US ACGIH 1/2011	-	10	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	3	-	-	-	-	-	-	-	[b]
molybdenum disulphide	BC 9/2011	-	10	-	-	-	-	-	-	-	[d]
	BC 9/2011	-	3	-	-	-	-	-	-	-	[c]
molybdenum disulphide, as Mo	ON 7/2010	-	10	-	-	-	-	-	-	-	[a]
	ON 7/2010	-	3	-	-	-	-	-	-	-	[b]
	QC 9/2011	-	10	-	-	-	-	-	-	-	[a]
Distillates (petroleum), solvent-refined heavy paraffinic	US ACGIH 1/2011	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[e]
Mineral oil.	ON 7/2010	-	5	-	-	10	-	-	-	-	[f]
	QC 9/2011	-	5	-	-	10	-	-	-	-	[f]
	US ACGIH 2/2010	-	5	-	-	-	-	-	-	-	[g]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[e]
	ON 7/2010	-	5	-	-	10	-	-	-	-	[f]
calcium carbonate	QC 6/2008	-	5	-	-	10	-	-	-	-	[f]
	AB 4/2009	-	10	-	-	-	-	-	-	-	[3]
Distillates (petroleum), solvent-dewaxed heavy paraffinic	QC 9/2011	-	10	-	-	-	-	-	-	-	[h]
	US ACGIH 1/2011	-	5	-	-	-	-	-	-	-	[a]
Residual oils (petroleum,) solvent-refined	AB 4/2009	-	5	-	-	10	-	-	-	-	[e]
	ON 7/2010	-	5	-	-	10	-	-	-	-	[f]
	QC 9/2011	-	5	-	-	10	-	-	-	-	[f]
	US ACGIH 1/2011	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[e]
	ON 7/2010	-	5	-	-	10	-	-	-	-	[f]
	QC 9/2011	-	5	-	-	10	-	-	-	-	[f]

[3]Skin sensitization

**Form:** [a]Inhalable fraction [b]Respirable fraction [c]Respirable [d]Inhalable [e]Mist [f]mist [g]Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. [h]Total dust.

### Mexico

#### Occupational exposure limits

Ingredient	Exposure limits
Distillates (petroleum), solvent-refined heavy paraffinic	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist
Mineral oil.	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist
molybdenum disulphide	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 10 mg/m <sup>3</sup> , (as Mo) 8 hours. LMPE-CT: 20 mg/m <sup>3</sup> , (as Mo) 15 minutes.
Residual oils (petroleum,) solvent-refined	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 5 mg/m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/m <sup>3</sup> 15 minutes. Form: mist

Consult local authorities for acceptable exposure limits.

## 8. Exposure controls/personal protection

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Personal protection**
- Respiratory** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

- Physical state** : Solid. [grease]
- Flash point** : Not available.
- Auto-ignition temperature** : Not available.
- Flammable limits** : Not available.
- Color** : Gray.
- Odor** : Mild. Petroleum oil
- pH** : Not applicable.
- Boiling/condensation point** : Not available.
- Melting/freezing point** : Not available.

## 9. Physical and chemical properties

<b>Density</b>	: 0.96 g/cm <sup>3</sup>
<b>Vapor pressure</b>	: Not available.
<b>Vapor density</b>	: Not available.
<b>Volatility</b>	: Not available.
<b>Evaporation rate</b>	: Not available.
<b>Viscosity</b>	: Not available.
<b>Dispersibility properties</b>	: Not available.
<b>Solubility</b>	: Insoluble in the following materials: cold water.

## 10. Stability and reactivity

<b>Chemical stability</b>	: The product is stable.
<b>Conditions to avoid</b>	: No specific data.
<b>Incompatible materials</b>	: No specific data.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.

## 11. Toxicological information

### United States

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Chronic toxicity

**Conclusion/Summary** : Contains material that may cause target organ damage, based on animal data.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
calcium carbonate	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

#### Conclusion/Summary

**Skin** : May cause slight transient irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.



## 11. Toxicological information

**Eyes** : May cause mild eye irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

**Respiratory** : Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

### Sensitizer

#### **Conclusion/Summary**

**Skin** : No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

**Respiratory** : Sensitization not suspected for humans.

### Carcinogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

### Mutagenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Mutagenicity not suspected for humans.

### Teratogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Teratogenicity not suspected for humans.

### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

### Canada

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.  calcium carbonate Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	6450 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Chronic toxicity

**Conclusion/Summary** : Contains material that may cause target organ damage, based on animal data.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
calcium carbonate	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

#### **Conclusion/Summary**

**Skin** : May cause slight transient irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

## 11. Toxicological information

**Eyes** : May cause mild eye irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

**Respiratory** : Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

### Sensitizer

#### **Conclusion/Summary**

**Skin** : No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

**Respiratory** : Sensitization not suspected for humans.

### Carcinogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

### Mutagenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Mutagenicity not suspected for humans.

### Teratogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Teratogenicity not suspected for humans.

### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

### Mexico

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.  calcium carbonate Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	6450 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Chronic toxicity

**Conclusion/Summary** : Contains material that may cause target organ damage, based on animal data.

#### Irritation/Corrosion

Product/ingredient name	Result	Score	Score	Exposure	Observation
calcium carbonate	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

#### **Conclusion/Summary**

**Skin** : May cause slight transient irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

## 11. Toxicological information

**Eyes** : May cause mild eye irritation. No significant irritation expected other than possible mechanical irritation. NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

**Respiratory** : Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

### Sensitizer

#### **Conclusion/Summary**

**Skin** : No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

**Respiratory** : Sensitization not suspected for humans.

### Carcinogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

### Mutagenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Mutagenicity not suspected for humans.

### Teratogenicity

**Conclusion/Summary** : There are no data available on the mixture itself. Teratogenicity not suspected for humans.

### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

## 12. Ecological information

**Ecotoxicity** : Not readily biodegradable.

### United States

#### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
calcium carbonate	Acute LC50 >56000000 µg/l Fresh water Chronic NOEC 61 mg/g Fresh water	Fish - Gambusia affinis - Adult Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 28 days

**Conclusion/Summary** : There are no data available on the mixture itself.

### Persistence/degradability

**Conclusion/Summary** : This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

### Canada

#### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
calcium carbonate	Acute LC50 >56000000 µg/l Fresh water Chronic NOEC 61 mg/g Fresh water	Fish - Gambusia affinis - Adult Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 28 days

**Conclusion/Summary** : There are no data available on the mixture itself.

### Persistence/degradability

## 12. Ecological information

**Conclusion/Summary** : This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

### Mexico

#### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
calcium carbonate	Acute LC50 >56000000 µg/l Fresh water Chronic NOEC 61 mg/g Fresh water	Fish - Gambusia affinis - Adult Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 28 days

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Persistence/degradability

**Conclusion/Summary** : This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

## 13. Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

## 14. Transport information

PG\* : Packing group

## 15. Regulatory information

### United States

- HCS Classification** : Irritating material  
Target organ effects
- U.S. Federal regulations** : **TSCA 8(a) IUR Exempt/Partial exemption:** Not determined  
**United States inventory (TSCA 8b):** All components are listed or exempted.  
**SARA 302/304/311/312 extremely hazardous substances:** No products were found.  
**SARA 302/304 emergency planning and notification:** No products were found.  
**SARA 302/304/311/312 hazardous chemicals:** calcium carbonate  
**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:**  
calcium carbonate: Immediate (acute) health hazard

**Clean Air Act Section 112** : Not listed

**(b) Hazardous Air  
Pollutants (HAPs)**

**Clean Air Act Section 602** : Not listed

**Class I Substances**

**Clean Air Act Section 602** : Not listed

**Class II Substances**

**DEA List I Chemicals** : Not listed  
**(Precursor Chemicals)**

**DEA List II Chemicals** : Not listed  
**(Essential Chemicals)**

### SARA 313

	Product name	CAS number	Concentration
<b>Form R - Reporting requirements</b>	: No listed substance		
<b>Supplier notification</b>	: No listed substance		

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

### State regulations

- Connecticut Carcinogen Reporting** : None of the components are listed.
- Connecticut Hazardous Material Survey** : None of the components are listed.
- Florida substances** : None of the components are listed.
- Illinois Chemical Safety Act** : None of the components are listed.
- Illinois Toxic Substances Disclosure to Employee Act** : None of the components are listed.
- Louisiana Reporting** : None of the components are listed.
- Louisiana Spill** : None of the components are listed.
- Massachusetts Spill** : None of the components are listed.
- Massachusetts Substances** : The following components are listed: MOLYBDENUM DISULFIDE
- Michigan Critical Material** : None of the components are listed.

## 15. Regulatory information

<b>Minnesota Hazardous Substances</b>	: None of the components are listed.
<b>New Jersey Spill</b>	: None of the components are listed.
<b>New Jersey Toxic Catastrophe Prevention Act</b>	: None of the components are listed.
<b>New Jersey Hazardous Substances</b>	: The following components are listed: ; MINERAL OIL (UNTREATED and MILDLY TREATED)
<b>New York Acutely Hazardous Substances</b>	: None of the components are listed.
<b>New York Toxic Chemical Release Reporting</b>	: None of the components are listed.
<b>Pennsylvania RTK Hazardous Substances</b>	: None of the components are listed.
<b>Rhode Island Hazardous Substances</b>	: None of the components are listed.

### California Prop. 65

None of the components are listed.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

### Canada

**WHMIS (Canada)** : Not controlled under WHMIS (Canada).

### Canadian lists

**Canadian NPRI** : None of the components are listed.


**CEPA Toxic substances** : None of the components are listed.

**Canada inventory; DSL/ NDSL** : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### Mexico

**Classification** :



### International regulations

**International lists** :

- Australia inventory (AICS)**: All components are listed or exempted.
- China inventory (IECSC)**: All components are listed or exempted.
- Japan inventory**: Not determined.
- Korea inventory**: All components are listed or exempted.
- Malaysia Inventory (EHS Register)**: Not determined.
- New Zealand Inventory of Chemicals (NZIoC)**: All components are listed or exempted.
- Philippines inventory (PICCS)**: All components are listed or exempted.
- Taiwan inventory (CSNN)**: Not determined.
- Europe inventory** : All components are listed or exempted.

**Chemical Weapons Convention List Schedule I Chemicals** : Not listed

**Chemical Weapons Convention List Schedule II Chemicals** : Not listed

## 15. Regulatory information

**Chemical Weapons Convention List Schedule III Chemicals** : Not listed

## 16. Other information

**Label requirements** : CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

**Hazardous Material Information System (U.S.A.)** :

Health	*	1
Flammability		1
Physical hazards		0
		B

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** :



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

**Date of issue** : 10/9/2012.

**Date of previous issue** : No previous validation.

**Version** : 1

**Prepared by** : Regulatory Department, Chemtool Inc.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.